


THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF PANDUIT CORP.



ROUNDED EDGES ALONG STRAP BODY

SECTION A-A
SCALE 4:1

PANDUIT PART NO.	PACKAGE QTY	MAX BUNDLE DIAMETER	LENGTH "L" ±.3 [7]
IMLT51H-L	50	2" [51]	7.9" [201]
IMLT69H-L	50	2.7" [69]	10.2" [259]
IMLT102H-L	50	4" [102]	14.3" [362]
IMLT152H-L	50	6" [152]	20.5" [521]
IMLT203H-L	50	8" [203]	26.7" [679]
IMLT254H-L	50	10" [254]	33.0" [838]
IMLT304H-Q	25	12" [304]	39.3" [998]
IMLT355H-Q	25	14" [355]	45.5" [1156]

- NOTES:
1. APPLICATION TOOLS - GS4MT-E, PPTMT, ST2MT, HTMT
 2. MINIMUM LOOP TENSILE STRENGTH - 200 LBS. (890 NEWTONS) WHEN TESTED ON A 1.5" MANDREL.
 3. BRACKETS [] DENOTE DIMENSIONS IN MILLIMETERS.
 4. TOLERANCES:
 .XXX = ±.010 [.25] .XX = ±.02 [.5]
 .X = ±.03 [.8] ANGLES = ±2°
 5. MATERIAL: 304 STAINLESS STEEL

REV	DATE	BY	CHK	APR	DESCRIPTION	ECN	TITLE	DRAWN BY/DATE	CHK	SCALE	SHT 1 OF 1	SIZE
							IMLT HEAVY SINGLE LOOP ASSEMBLY 304 STAINLESS STEEL	JSUN	JSUN	2:1		A
							CUSTOMER DRAWING					
							ITEM REVISION NAME					
							15L355BD/03					
							DATASET FILE NAME					
							15L355BD_DC/03A					
							UNLESS OTHERWISE SPECIFIED, DIMENSIONAL TOLERANCES ARE: IN [mm]					
							.X ±					
							.XXX ±					
							ANGLES ±					
							THIRD ANGLE PROJECTION					
							MATERIAL:					
							304 STAINLESS STEEL					
							DRAWING NUMBER:					
							15L355BD_DC					
03A	02-02-22	JBN	MRJS	JADE	REVISED LENGTH TO 26.7" WAS 26.8" FOR P/N: IMLT203H-L REVISED THICKNESS TO .012" WAS .010" REMOVED GS4MT AND ADDED GS4MT-E APPLICATION TOOLS	115557						
02	03-04-16	JSUN	JSUN	RGRO	WAS CONTROL DRAWING IN TITLE BLOCK	LPECN_15L355BD_DC/02						
01	01-28-16	JSUN	JSUN	RGRO	LOOP TENSILE STRENGTH WAS 225 LBS	LPECN_15L355BD_DC/01						
00	01-18-16	JSUN	JSUN	RGRO	INITIAL RELEASE	LPECN_15L355BD_DC/00						